

SAFETY DATA SHEET

Section 1 - Identification of Chemical Product and Company

Hammersley Products (Aust) Pty Ltd ACN 001 621 281

14 Sandpiper Close Kooragang, NSW 2304

Phone: (02)4928 2955 Fax: (02)4928 2405



Trade Name: NS14
Product Code: NA
Product Use: Chlorinated Cleaning Solvent
Revision Date: October 2024
Expiry date: October 2029

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as a HAZARDOUS CHEMICAL in accordance with the GHS. It is classified as a DANGEROUS GOOD by the ADG code.

Classification of the substance or mixture:

Eye Irritation - Category 2
Skin Irritation - Category 2
Carcinogenicity - Category 1B
Mutagen - Category 2
Specific Target Organ Toxicity (single exposure) - Category 3
Aspiration Hazard - Category 1
Acute Aquatic Toxicity - Category 2
Chronic Aquatic Toxicity - Category 2

Signal Word: Danger



Hazard Statements:

H319 Causes serious eye irritation
H315 Causes skin Irritation
H350 May cause cancer
H341 Suspected of causing genetic defects
H336 May cause drowsiness and dizziness
H304 May be fatal if swallowed and enters lungs
H411 Toxic to aquatic life with long lasting effects

Precautionary Statements:

Prevention

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.

SAFETY DATA SHEET

Issued by: Hammersley Products (Aust) Pty Ltd

Phone: (02) 4928 2955

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

P281 Use personal protective equipment as required.
 P261 Avoid breathing mist/vapours/spray.
 P271 Use only outdoors or in a well-ventilated area.
 P264 Wash hands thoroughly after handling
 P280 Wear protective gloves/protective clothing/eye protection/ face protection.

Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or a doctor.
 P331 Do not induce vomiting.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P332 + P313 If skin irritation occurs: Get medical advice/attention.
 P362 Take off contaminated clothing and wash before reuse.
 P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P312 Call a POISON CENTER or doctor if you feel unwell.
 P305 + P351 +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 If eye irritation persists: Get medical advice/attention.
 P308 + P313 If exposed or concerned: Get medical advice/attention.

Storage

P405 Store locked up
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

SUSMP Classification: Schedule 6
ADG Classification: TOXIC LIQUID, ORGANIC, N.O.S
UN Number: 2810

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc, %
Trichloroethylene	79-01-6	20 - 30%
Perchloroethylene	127-18-4	10 - 20%
Dichloromethane	75-09-2	10 – 20%
White Spirit	Not available	30 – 60%

Section 4 - First Aid Measures

Eye Contact	Hold eyelids apart and flush the eye continuously with running water for at least 15 minutes or until advised by a Poisons Information Centre or doctor. Seek medical attention.
Skin Contact	Remove contaminated clothing and wash skin thoroughly with soap and water. If irritation persists, seek medical advice/attention.
Inhalation	Remove patient to fresh air avoid becoming a casualty. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
If Swallowed	Do NOT induce vomiting. Rinse mouth with water and give water to drink. Seek immediate medical attention. Give activated charcoal / water slurry. For advice, contact a Poisons Information Centre (Phone 131126) or a doctor.
Advice to Doctor	Treat symptomatically.
Additional Information	-

SAFETY DATA SHEET

Section 5 - Fire Fighting Measures

Combustible liquid. This product is not likely to be the initiator of a fire but may contribute to the fuel of a fire.

Suitable Extinguishing Equipment

If involved in a fire, appropriate extinguishing media include fine water spray, dry extinguishing media, foam and carbon dioxide

Special Protective Equipment and Precautions for Fire Fighters

When fighting fires involving significant quantities of this product, wear a splash suit complete with self-contained breathing apparatus.

Specific hazards arising from the chemical:

Toxic and/or irritating fumes including hydrogen chloride, carbon monoxide and carbon dioxide may be emitted.

Hazchem Code: 2X

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal protective equipment should be worn when cleaning up spills. Restrict access to area until completion of cleanup. Stop leak if safe to do so. May be slippery when spilled.

Methods and Materials for containment and cleaning up

Contain spill with absorbent material, such as sand, vermiculite or other inert material. Collect and dispose of spilled material according to local regulations. Clean area by working from the periphery to the centre of spill or from the edge of the room to the centre.

Environmental precautions

Prevent spill entering sewers or waterways.

Section 7 - Handling and Storage

Precautions for Safe Handling

Avoid skin and eye contact and avoid breathing in vapour, mists or aerosols. An eye bath and safety shower is recommended. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling.

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Store away from incompatible materials listed in section 10 including oxidizing agents, acids, combustible materials and sources of ignition. Protect from direct sunlight.

Store in original packaging as approved by manufacturer.

Section 8 - Exposure Controls and Personal Protection

No exposure limits available for this material, however values available for constituents;

ASCC Exposure Limits	TWA (mg/m ³)	STEL (mg/m ³)	
Perchloroethylene	340	1020	
Trichloroethylene	54	216	(skin)
Dichloromethane	174	-	(skin)
White Spirit	480	-	

Note - A "skin" notation following the exposure guideline refers to the potential for dermal adsorption of the material including mucous membranes and the eyes either by contact with vapours or direct skin contact. It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimise dermal exposure should be considered.

Carcinogenicity Category 1B – known or presumed to have carcinogenic potential for humans based on animal evidence.

Solvent resistant gloves and safety glasses are recommended to avoid skin and eye contact. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: Use in a well-ventilated area. This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels.

SAFETY DATA SHEET

Personal Protective Equipment

RESPIRATOR: Wear an approved respirator where vapours are generated and engineering controls are inadequate.

EYES: Safety glasses or splash goggles to prevent splashing in the eyes.

HANDS: Wear solvent resistant gloves.

CLOTHING: Chemical resistant coveralls and safety footwear.

Section 9 - Physical and Chemical Properties:

Physical Description:	Clear Colourless Liquid	Water Solubility:	Insoluble
Odour:	Sweet pungent odour	pH:	No data
Boiling Point:	No data	Flash Pt.	>86°C
Freezing/Melting Point:	No data	Volatility:	No data
Volatiles:	No data	Odour Threshold:	No data
Vapour Pressure:	No data.	Evaporation Rate:	No data
Vapour Density:	>1	Coeff Oil/water Distribution:	No data
Specific Gravity:	1.07	Autoignition temp:	No data

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose

Chemical Stability: Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Conditions to Avoid: This product should be kept in a cool place, preferably below 30°C. Avoid exposure to heat, sources of ignition and open flames. Avoid contact with incompatible materials. Avoid exposure to light.

Incompatible Materials: Strong oxidising agents, acids, alkalis, chemically reactive metals such as barium, lithium, sodium, magnesium, titanium, and beryllium, aluminium, amines, liquid oxygen, combustible materials and sources of ignition.

Hazardous Decomposition Products: Toxic and/or irritating fumes including phosgene, hydrogen chloride, carbon monoxide and carbon dioxide may be released on thermal decomposition.

Hazardous Reactions: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

No adverse health effects expected if this product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may occur if the product is mishandled or over exposure occurs are:

Swallowed Swallowing may result in nausea, vomiting, diarrhoea, abdominal pain and irritation to the gastrointestinal tract. May result in central nervous system depression. If the victim shows signs of central nervous system depression (like those of drunkenness) there is a greater likely hood of patient breathing in vomit and causing damage to the lungs.

Eye Irritating to eyes and may result in redness, stinging and excessive tearing.

Skin May cause irritation to the skin that may result in redness, itching or swelling. Will have a degreasing action on the skin. Repeated or prolonged contact may lead to irritant contact dermatitis. Can be absorbed through the skin with resultant adverse effects.

Inhaled Breathing in mists or aerosols may cause respiratory irritation. Breathing in vapour can result in headaches, dizziness, drowsiness and possible nausea. Breathing in vapour can cause central nervous system depression, which can lead to loss of co-ordination, impaired judgment and if exposure id prolonged, unconsciousness.

Chronic Effects

This product contains chemicals that are known to or presumed to cause cancer.

Acute Toxicity

No data available for this product. Data for the constituent/s;

SAFETY DATA SHEET

Methylene Chloride
Oral LD50 (rat): 1600 mg/kg
Inhalation LC50 (rat): 88 mg/L/30 min

Perchloroethylene
Oral LD50 (rat): 2629 mg/kg
Inhalation LC50 (rat): 5200 ppm/4 hr

Trichloroethylene
Oral LD50 (rat): 4920 mg/kg
Oral LD50 (mice): 2402 mg/kg

Section 12 - Ecological Information

Avoid contaminating waterways.

Ecotoxicity

Toxic to aquatic life with long lasting effects

Persistence/degradability

No data

Section 13 - Disposal Considerations

Disposal method

Refer to State/Territory Waste Management Authority. Dispose of material through a licensed waste contractor. Rinse empty containers thoroughly before recycling or disposing to an authorised landfill.

Special precautions

-

Section 14 - Transport Information

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code)

UN Number: 2810
UN Proper Shipping Name: TOXIC LIQUID, ORGANIC, N.O.S.
Class and subsidiary risk: 6.1 Toxic
Packing Group: III
Special precautions for user: Not applicable
Hazchem Code: 2X

Section 15 - Regulatory Information

Poisons Schedule (SUSMP): Schedule 6 (POISON)
All ingredients are listed in the Australia Inventory of Chemical Substances (AICS).

Section 16 - Other Information

Date of Preparation: October 2024

This SDS contains only safety-related information. For other data see product literature. Please read all labels carefully before using product.

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

SAFETY DATA SHEET

Issued by: Hammersley Products (Aust) Pty Ltd

Phone: (02) 4928 2955

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)